

Juggernaut funds Inaugural Drilling on Empire and Midas Discoveries

Vancouver, April 9th, 2018 - Juggernaut Exploration Ltd. (TSX-V: JUGR)(Frankfurt:4JE) (the "Company or "Juggernaut") is pleased to announce a non-brokered private placement for gross proceeds totaling \$2,400,000. The offering has strong support and interest from both institutions and accredited investors alike in Canada and Europe. The proceeds will fund inaugural drill programs on the 100% controlled Empire and multiple Midas properties including the target zones at: Big One, Metalworks, Max Min, Rockstar, and King Solomon. The systematic exploration will also include ground and airborne geophysics, detailed understanding the extent mapping, additional alteration studies to assist in and controls on mineralization, helping further define the geologic models. These properties are located adjacent to extensive infrastructure just outside of Terrace British Columbia.

The proposed financing is scheduled to close next week on Monday, April 16, 2018. The offering will consist of flow-through units (each an "FT Unit") at the price of \$0.27 and nonflow-through units (each an "NFT Unit") at the price of \$0.20. Each FT Unit will be comprised of one common share which is a "flow-through" share for Canadian income tax purposes and one share purchase warrant (each full warrant a "\$0.60 Warrant"). Each \$0.60 Warrant will entitle the holder to purchase one additional common share which is not a "flow-through" share at the price of \$0.60 for 24 months after Closing. Each NFT Unit will be comprised of one common share which is not a "flow-through" share and one share purchase warrant (each a "\$0.50 Warrant"). Each \$0.50 Warrant will entitle the holder to purchase one additional common share which is not a "flow-through" share at the price of \$0.50 for a period of 36 months after Closing. If at any time after four months after the date of completion of the offering the Company's Shares have a closing price equal to or higher than \$1.00 per Share for ten (10) consecutive trading days on the TSX-V (as defined herein), the Company shall thereafter be entitled to give notice to the holders of all \$0.50 Warrants or the \$0.60 Warrants respectively, by news release, that such warrants will expire at 4:30 p.m. (Toronto time) on that date which is 30 days after the date of such news release unless exercised before the expiry of that period.

The Company will pay finder's fees equal to 6% of the gross proceeds from a portion of the financing in cash, and 6% finder's warrants equal to the number of units sold in accordance with the policies of the TSX Venture Exchange. Completion of the private placement and the payment of the finders' fees are subject to acceptance by the TSX Venture Exchange. All shares

issued pursuant to the offering (including shares issued to finders) and any shares issued pursuant to the exercise of warrants will be subject to a four-month hold period from the closing date.

Drill Ready Zones

Big One Anomaly

An extensive geophysically indicated buried strong bedrock conductor has been identified approximately 3.5 kilometres north of the Inca Trend (Link to video). The Big One anomaly is a strongly conductive body measuring 1000 by 800 by 300 metres. The conductive zone comes to within 30 m of the surface remains open to depth. The tabular shape of the conductive body, the presence of sulphides including chalcopyrite on surface, and the presence of marine fossils in the area are all strong indicators of being near what was a hydrothermal vent system, a black smoker. These results demonstrate Big One has strong potential for a Eskay Creek style VMS at depth. Drilling will test the core of this anomalous body.

Rockstar Zone

At the southern end of the Inca Trend is the Rockstar zone, defined by gold and polymetallic mineralization in bedrock grabs and channels measuring 1000 x 550 m with 450 m of vertical relief and remains open in all directions (link to video). Rockstar has semi-massive sulphide lenses and stringers, and is hosted in a layered sequence of pervasively altered Hazelton volcanics (link to video). Highlights from the Rockstar zone include a channel cut over 6.02 metres including 1.53 grams per tonne gold, 1.38 % copper, 0.23 % zinc, and 0.13 % lead (See <u>Dec 5th Press Release</u>). This channel started and ended in mineralization. The early season exploration program will augment and refine the inaugural drilling program at Rockstar.

Max Min Zone

A highlight of the 2017 program was the discovery of the Max Min, a 170 by 100 metre zone of bedrock grab, chip, and channel samples containing polymetallic and gold mineralization (link to map), and phyllic alteration that together indicate the presence of a feeder zone or hydrothermal system at depth. Highlights include a channel sample with 4.8 grams per tonne gold, 0.26 percent copper, 3.73 percent zinc, and 4.85 percent lead over 4.6 metres. Five channel samples of a metre or less range from 10.3 to 56.4 grams per tonne gold (See Nov 29th Press Release). The drill program has been designed to test the source of the mineralization in this key target area.

Metalworks Zone

Assay results from Metalworks have more than doubled the size of the zone with mineralized bedrock grab, chip, and channel samples from 95 by 85 metres in 2016 to 300 by 130 metres in

2017 and it remains open (link to map). This resulted from newly exposed bedrock along the fringes of the rapidly receding glacial ice and snowpack. Highlights include a 5-metre chip sample that assayed 2.64 grams per tonne gold, 277 grams per tonne silver, 3.88 percent zinc, 11.95 percent lead (See Nov 29th Press Release). With the expansion of Metalworks in 2017 by ~200 metres, it is now only ~750 metres south of Olympus, ~250 metres west of Metallica, and 400 metres to Max Min, only separated by rapidly receding glacial ice and snowpack. These zones share a similar style of mineralization which is predominantly hosted structurally above extensive hydrothermal breccias. Other similarities include the same stratigraphic package of rocks, potassic and phyllic alteration, and late porphyry dykes all of which suggest a shared porphyry feeder source of mineralization at depth.

Midas King Solomon Zone

The presence of bedrock-hosted, polymetallic and gold mineralized channel, chip, and grab samples over a 2.1 kilometre by 1.6 kilometre area define the King Solomon Zone (<u>link to map</u>). Highlights include four channel cuts which intersect a N-S trending, mineralized shear zone at the VG showing. Mineralized intervals from these channels included 4.34 metres of 10.28 grams per tonne gold, 4.95 meters of 2.01 grams per tonne gold and 2.13 metres of 13.3 grams per tonne gold (<u>See Jan 15th Press Release</u>)

The King Solomon Zone is within a district scale 18 x 10 km quartz, sericite, pyrite alteration zone that was mapped by the British Columbia Geological Survey in 2007 (<u>link to video</u>). The survey also mapped a sequence of marine volcanics and suggested this region was prospective for VMS deposits and the alteration system may be a result of such a deposit. Post-volcanic deformation appears to have remobilized gold and polymetallic mineralization into faults, shear zones, and along foliation planes. A recent preliminary alteration study indicates the King Solomon Zone is an orogenic mineralizing system based on several lines of evidence. The planned 2018 drill program has been designed to test the King Solomon Zone.

Statements

Mr. Dan Stuart, Director, President and CEO of Juggernaut states: "The company and entire geologic team are very excited to drill these new mineralized bedrock discoveries on Empire and Midas in 2018. These discoveries are located in key geologic terrane that is known to host multiple world class mineral deposits and have excellent potential to be a drill hole away from a significant new discovery in the subsurface. Both the Empire and Midas discoveries have already garnered the attention of institutions and senior miners alike both have road access

and are in close proximity to excellent infrastructure in Terrace British Columbia. We look forward to the 2018 drilling season with great anticipation."

Dr. Stefan Kruse, Chief Consulting Geologist stated:

"Results to date are extremely encouraging. We look forward to unlocking the full potential of the Empire and Midas properties in 2018 with our planned inaugural drill program"

Further information regarding Juggernaut Exploration Ltd. can be found at <u>JuggernautExploration.com</u>

Other

Stefan Kruse, Ph.D., P. Geo., Chief Geologist, is the qualified person as defined by National Instrument 43- 101, for Juggernaut Exploration projects, and supervised the preparation of, and has reviewed and approved, the technical information in this release. Further information regarding Juggernaut's Midas and Empire properties can be sourced on-line at www.juggernautexploration.com, or by contacting Dan Stuart at 778-233-0293.

All rock, channel and talus fine samples were crushed and pulverized at ALS Canada Ltd.'s lab in Terrace, BC or in Reno Nevada. ALS is either Certified to ISO 9001:2008 or Accredited to ISO 17025:2005 in all of its locations. The resulting sample pulps were analyzed for gold by fire assay in Reno, Nevada or in Vancouver, BC. The pulps were also assayed using multi-element aqua regia digestion at ALS Canada Ltd.'s lab in Vancouver, BC. The silt samples were sieved and assayed at ALS Canada Ltd.'s lab in Vancouver, BC. The coarse reject portions of the rock, channel and talus fine samples, as well as the pulps, were shipped to J2 Syndicate's storage facility in Terrace, BC. The silt samples were disposed of after analysis. All samples were analyzed using ALS Canada Ltd.'s assay procedure ME-ICP41, a 1:1:1 aqua regia digestion with inductively-coupled plasma atomic emission spectrometry (ICP-AES) or inductively-coupled plasma mass spectrometry (ICP-MS) finish for 35 elements as well as the Au-AA24 leadcollection fire assay fusion procedure with atomic absorption spectroscopy (AAS) finish. Any results greater than 100 ppm for silver or 10,000 ppm copper, lead and zinc were additionally assayed using ALS's OG46 method particular to each element. This method used an HNO₃-HCl digestion followed by ICP-AES (or titrimetric and gravimetric analysis). Gold values of greater than 10 ppm Au were assayed by the Au-GRA22 method which includes a fire-assay fusion procedure with a gravimetric finish. Blanks and duplicates QA/QC samples were inserted into channels sample laboratory batches. Additionally, and 10% sub-sample of pulp and reject material was sent to Activation Laboratories in Ancaster Ontario, for check-analysis.

The reader is cautioned that grab samples are spot samples which are typically, but not exclusively, constrained to mineralization. Grab samples are selective in nature and collected to

determine the presence or absence of mineralization and are not intended to be representative of the material sampled. **Contact Information:**

Dan Stuart Director, President, and CEO dan@JuggernautExploration.com

+1-604-559-8028

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Juggernaut Exploration Ltd. Suite 1010-1130 West Pender St. Vancouver BC V6E-4A4 Office # 1-604-559-8028 Fax # 1-604-681-1864